Spatial phase shifting in electronic speckle pattern interferometry: minimization of phase reconstruction errors

Thorsten Bothe, Jan Burke, and Heinz Helmers

The advantages of spatial phase shifting (SPS) compared with temporal phase shifting in the field of electronic speckle pattern interferometry are described. Some periodic phase reconstruction errors occurring in SPS are discussed. It is shown that these errors become minimal for a spatial phase-shift angle of $2\pi/3$. Furthermore, a modified phase reconstruction formula is presented by which the noise in the reconstructed phase map is reduced. © 1997 Optical Society of America

Key words: Spatial phase shifting, phase reconstruction, phase errors, electronic speckle pattern interferometry.



The authors are with Carl von Ossietzky Universität Oldenburg, FB Physik, PF 2503, D-26111 Oldenburg, Germany.

Received 22 July 1996; revised manuscript received 12 November 1996.

0003-6935/97/225310-07\$10.00/0 © 1997 Optical Society of America spherical reference wave and of the object wave, respectively, at the location of the sensor in the x-yplane at z = 0. In an approximation, $\varphi_O(x, y)$ may be written as the sum of the phase of a spherical wave, $\varphi_{OS}(x, y)$, and a speckle phase, $\varphi(x, y)$, which contains the desired information about the object surface. By